



Trusted for Quality

INOX

FASTENING SYSTEMS

IMPORTERS AND EXPORTERS OF HIGH-QUALITY SCREWS AND FASTENERS



www.inoxfasteners.in

OUR PRODUCT RANGE



SELF - DRILLING SCREWS



DRYWALL SCREWS



CHIPBOARD SCREWS



ANCHORS

INOX




RIVETS



NUTS



DRYWALL TAPE



Trusted for Quality

www.inoxfasteners.in

SCREWS

SELF - DRILLING SCREWS


HEXAGONAL HEAD SELF DRILLING SCREWS WITH METAL BONDED EPDM WASHER AS PER DIN 7504K

Head Type: Hexagonal Washer Head
 Point Type: Drill point #3 / #4
 Material: C1022A with Heat Treatment
 Finish: Zinc plated,
 Sizes: (mm x mm)

4.8x20 (#10 x 20)	5.5x100 (#12 x 100)
4.8x25 (#10 x 25)	5.5x120 (#12 x 120)
5.5x19 (#12 x 19)	5.5x150 (#12 x 150)
5.5x25 (#12 x 25)	6.3x25 (#14 x 25)
5.5x35 (#12 x 35)	6.3x38 (#14 x 38)
5.5x45 (#12 x 45)	6.3x50 (#14 x 50)
5.5x55 (#12 x 55)	6.3x63 (#14 x 63)
5.5x63 (#12 x 63)	6.3x75 (#14 x 75)
5.5x68 (#12 x 68)	6.3x90 (#14 x 90)
5.5x75 (#12 x 75)	6.3x120 (#14 x 120)
5.5x90 (#12 x 90)	6.3x150 (#14 x 150)

SS 410 GRADE (STAINLESS STEEL)

4.8x20 (#10 x 20)	5.5x68 (#12 x 68)
4.8x25 (#10 x 25)	5.5x75 (#12 x 75)
5.5x25 (#12 x 25)	5.5x90 (#12 x 90)
5.5x35 (#12 x 35)	5.5x100 (#12 x 100)
5.5x45 (#12 x 45)	5.5x120 (#12 x 120)
5.5x55 (#12 x 55)	



CSK PHILLIPS HEAD SELF DRILLING SCREWS AS PER DIN 7504P

Head Type: CSK Head
 Point Type: Drill point #2
 Material: C1022A with Heat Treatment
 Finish: Zinc plated
 Sizes: (mm x mm)

3.5x13 (#6 x 13)	4.2x16 (#8 x 16)
3.5x16 (#6 x 16)	4.2x19 (#8 x 19)
3.5x19 (#6 x 19)	4.2x25 (#8 x 25)
3.5x25 (#6 x 25)	4.2x32 (#8 x 32)
3.5x32 (#6 x 32)	4.2x38 (#8 x 38)
3.5x38 (#6 x 38)	4.2x50 (#8 x 50)
3.5x50 (#6 x 50)	4.2x60 (#8 x 60)
3.9x13 (#7 x 13)	4.2x75 (#8 x 75)
3.9x16 (#7 x 16)	4.8x19 (#10 x 19)
3.9x19 (#7 x 19)	4.8x25 (#10 x 25)
3.9x25 (#7 x 25)	4.8x32 (#10 x 32)
3.9x32 (#7 x 32)	4.8x38 (#10 x 38)
3.9x38 (#7 x 38)	4.8x50 (#10 x 50)
3.9x50 (#7 x 50)	4.8x60 (#10 x 60)
4.2x13 (#8 x 13)	4.8x75 (#10 x 75)
	4.8x100 (#10 x 100)

SS 410 CSK PHILLIPS HEAD SELF DRILLING SCREWS

3.9x13 (#7 x 13)	4.2x19 (#8 x 19)
3.9x16 (#7 x 16)	4.2x25 (#8 x 25)
3.9x19 (#7 x 19)	4.2x32 (#8 x 32)
3.9x25 (#7 x 25)	4.2x38 (#8 x 38)
4.2x13 (#8 x 13)	4.2x50 (#8 x 50)
4.2x16 (#8 x 16)	




PAN PHILLIPS HEAD SELF DRILLING SCREWS AS PER DIN 7504N

Head Type: Pan Head
 Point Type: Drill point #2
 Material: C1022A with Heat Treatment
 Finish: Zinc plated
 Sizes: (mm x mm)

3.5x13mm (#6 x 13)	4.2x19mm (#8 x 19)
3.5x16mm (#6 x 16)	4.2x25mm (#8 x 25)
3.5x19mm (#6 x 19)	4.2x32mm (#8 x 32)
3.5x25mm (#6 x 25)	4.2x38mm (#8 x 38)
3.9x13mm (#7 x 13)	4.2x45mm (#8 x 45)
3.9x16mm (#7 x 16)	4.2x50mm (#8 x 50)
3.9x19mm (#7 x 19)	4.8x13mm (#10 x 13)
3.9x25mm (#7 x 25)	4.8x16mm (#10 x 16)
3.9x32mm (#7 x 32)	4.8x19mm (#10 x 19)
3.9x38mm (#7 x 38)	4.8x25mm (#10 x 25)
3.9x45mm (#7 x 45)	4.8x32mm (#10 x 32)
3.9x50mm (#7 x 50)	4.8x38mm (#10 x 38)
4.2x13mm (#8 x 13)	4.8x45mm (#10 x 45)
4.2x16mm (#8 x 16)	4.8x50mm (#10 x 50)

SS 410 PAN PHILLIPS HEAD SELF DRILLING SCREWS

4.2x13	4.2x32
4.2x16	4.2x38
4.2x19	4.2x50
4.2x25	




**TRUSS PHILLIPS HEAD
SELF DRILLING SCREWS**

Head Type: Truss Head
 Point Type: Drill point #2
 Material: C1022A with Heat Treatment
 Finish: Zinc plated
 Sizes: (mm x mm)

- 4.2x13 (#8 x 13)
- 4.2x16 (#8 x 16)
- 4.2x19 (#8 x 19)
- 4.2x25 (#8 x 25)
- 4.2x32 (#8 x 32)
- 4.2x38 (#8 x 38)
- 4.2x50 (#8 x 50)

**SS 410 TRUSS PHILLIPS HEAD
SELF DRILLING SCREWS**

- 4.2x13 4.2x32
- 4.2x16 4.2x38
- 4.2x19 4.2x50
- 4.2x25



CHIPBOARD SCREWS


Head Type : Countersunk, Double Countersunk
 Drive (Recess) Type: Pozzi, Philips
 Material : C1022A with Heat Treatment
 Finish : Grey/Black Phosphate, White Zinc Yellow Zinc, Nickle plated
 Sizes : (mm x mm)

3.5x10	4x35	5x75
3.5x12	4x40	5x90
3.5x16	4x45	5x100
3.5x20	4x50	6x30
3.5x25	4x60	6x35
3.5x30	4x70	6x40
3.5x35	4x75	6x45
3.5x45	5x25	6x50
3.5x50	5x30	6x60
4x13	5x35	6x75
4x16	5x40	6x90
4x20	5x45	6x100
4x25	5x50	6x120
4x30	5x60	6x140

DRYWALL SCREWS

Head Type: Bugle, Pan
 Drive (Recess) Type: Philips
 Thread Type: Fine Thread, Coarse Thread
 Material: C1022A with Heat Treatment
 Finish: Grey/Black Phosphate, White Zinc, Yellow Zinc, Nickle plated
 Sizes: (mm x mm)


- 3.5x13 (#6 x 13) 3.5x75 (#6 x 75)
- 3.5x16 (#6 x 16) 4.2x19 (#8 x 19)
- 3.5x19 (#6 x 19) 4.2x25 (#8 x 25)
- 3.5x25 (#6 x 25) 4.2x32 (#8 x 32)
- 3.5x32 (#6 x 32) 4.2x38 (#8 x 38)
- 3.5x38 (#6 x 38) 4.2x50 (#8 x 50)
- 3.5x50 (#6 x 50) 4.2x60 (#8 x 60)
- 3.5x60 (#6 x 60) 4.2x75 (#8 x 75)
- 3.5x65 (#6 x 65) 4.2x100 (#8 x 100)



ANCHORS

WEDGE ANCHORS (THRU BOLT WITH NUT AND WASHER)

M8x75	M12x150	M20x150
M8x100	M12x200	M20x200
M10x75	M16x100	M20x250
M10x100	M16x125	M24x150
M10x125	M16x150	M24x200
M10x150	M16x200	M24x250
M12x75	M16x250	M24x300
M12x100	M16x300	



NYLON FRAME FIXING, WITH POZIDRIVE SCREW- DRILLED HEAD, SINGLE WINGS TYPE

M6x40	M8x120
M6x60	M10x80
M6x80	M10x100
M8x60	M10x120
M8x80	M10x140
M8x100	M10x160



INOX

DROP IN ANCHOR

M6 x 8 x 25
M8 x 10 x 30
M10 x 12 x 40
M12 x 16 x 50
M16 x 20 x 65
M20 x 24 x 80



RIVETS

ALUMINUM/STEEL OPEN TYPE BLIND RIVETS WITH DOME HEAD

inches	mm	inches	mm
1/8 x 1/4	(3.2x6.4)	5/32 x 5/8	(4.0x16)
1/8 x 5/16	(3.2x8)	5/32 x 3/4	(4.0x19)
1/8 x 3/8	(3.2x9.5)	5/32 x 1	(4.0x25)
1/8 x 1/2	(3.2x12.5)	3/16 x 3/8	(4.8x9.5)
1/8 x 5/8	(3.2x16)	3/16 x 1/2	(4.8x12.5)
1/8 x 3/4	(3.2x19)	3/16 x 5/8	(4.8x16)
5/32 x 1/4	(4.0x6.4)	3/16 x 3/4	(4.8x19)
5/32 x 5/16	(4.0x8)	3/16 x 1	(4.8x25)
5/32 x 3/8	(4.0x9.5)	3/16 x 1.1/4	(4.8x32)
5/32 x 1/2	(4.0x12.5)	3/16 x 1.1/2	(4.8x38)



SS 304 GRADE DOME HEAD BLIND RIVETS

NEW	inches	mm	inches	mm
	1/8 x 5/16	(3.2x8)	5/32 x 5/8	(4.0x16)
	1/8 x 3/8	(3.2x9.5)	5/32 x 3/4	(4.0x19)
	1/8 x 1/2	(3.2x12.5)	5/32 x 1	(4.0x25)
	1/8 x 5/8	(3.2x16)	3/16 x 3/8	(4.8x6.4)
	1/8 x 3/4	(3.2x19)	3/16 x 1/2	(4.8x8)
	5/32 x 1/4	(4.0x6.4)	3/16 x 5/8	(4.8x9.5)
	5/32 x 5/16	(4.0x8)	3/16 x 3/4	(4.8x12.5)
	5/32 x 3/8	(4.0x9.5)	3/16 x 1	(4.8x16)
	5/32 x 1/2	(4.0x12.5)		

INOX
FASTENING SYSTEMS



ABOUT US

INOX FASTENING SYSTEMS PVT LTD although incorporated in the year 2011 has over 100 years old legacy in fasteners industry, Since 2011 we have specialised our focus on imports & being stockist of all types of high quality industrial fasteners and allied products catering to growing needs of diverse industries like construction, furniture , automobiles , machineries etc.

INOX Group is managed by professionals with over 100 years of engineering and management experience between them to deliver the needs of the varied industries. With having the advantage of Mumbai's strategic location coupled with our excellent logistics and 30000sq.ft warehousing infrastructure enables us to give efficient customer service and prompt delivery at the most competitive price always.

Trusted for Quality



IFS FASTENERS


39, Nagdevi Street, Mumbai - 400003

T + 91.22. 6666 1812 to 15

E info@inoxfasteners.in

Talk free 12183

www.inoxfasteners.in

Sales Team:  9920513252 / 9819625753 / 9820388221